

INCIDENCIA DE DIABETES MELLITUS EN CASTILLA Y LEON

Tasas estimadas por 100.000 habitantes

DIABETES MELLITUS, AMBOS TIPOS, TODAS LAS EDAES.

| | Tasa de incidencia | Límite inferior | Límite superior |
|----------------------|--------------------|-----------------|-----------------|
| Total | 149,19 | 148,54 | 149,84 |
| Sexo | | | |
| Hombres | 169,24 | 168,27 | 170,22 |
| Mujeres | 128,91 | 128,05 | 129,77 |
| Año | | | |
| 2000 | 214,99 | 212,34 | 217,63 |
| 2001 | 146,28 | 144,10 | 148,47 |
| 2002 | 243,27 | 240,37 | 246,17 |
| 2003 | 135,07 | 132,97 | 137,18 |
| 2004 | 139,22 | 136,93 | 141,51 |
| 2005 | 151,59 | 149,35 | 153,83 |
| 2006 | 144,65 | 142,47 | 146,82 |
| 2007 | 100,60 | 98,73 | 102,47 |
| 2008 | 130,72 | 128,64 | 132,80 |
| 2009 | 122,70 | 120,62 | 124,77 |
| 2010 | 122,12 | 120,11 | 124,13 |
| 2011 | 136,02 | 133,78 | 138,26 |
| Grupo de edad | | | |
| 0-14 | 13,03 | 12,66 | 13,41 |
| 15-34 | 12,84 | 12,41 | 13,26 |
| 35-39 | 45,78 | 44,33 | 47,24 |
| 40-44 | 96,22 | 94,11 | 98,33 |
| 45-49 | 181,10 | 178,09 | 184,11 |
| 50-54 | 279,79 | 275,79 | 283,80 |
| 55-59 | 380,03 | 375,25 | 384,81 |
| 60-64 | 446,92 | 441,58 | 452,26 |
| 65-69 | 444,13 | 439,01 | 449,25 |
| 70-74 | 391,23 | 386,70 | 395,76 |
| 75-79 | 321,97 | 317,66 | 326,28 |
| 80-84 | 285,71 | 280,99 | 290,44 |
| 85+ | 138,66 | 135,13 | 142,20 |

DIABETES MELLITUS TIPO 2 EN MAYORES DE 14 AÑOS.

| | Tasa de incidencia | Límite inferior | Límite superior |
|----------------------|--------------------|-----------------|-----------------|
| Total | 189,87 | 189,02 | 190,73 |
| Sexo | | | |
| Hombres | 214,79 | 213,51 | 216,08 |
| Mujeres | 164,90 | 163,77 | 166,02 |
| Año | | | |
| 2000 | 288,29 | 284,66 | 291,93 |
| 2001 | 186,67 | 183,75 | 189,58 |
| 2002 | 298,23 | 294,51 | 301,95 |
| 2003 | 171,91 | 169,15 | 174,67 |
| 2004 | 179,84 | 176,78 | 182,89 |
| 2005 | 199,63 | 196,62 | 202,64 |
| 2006 | 182,10 | 179,27 | 184,93 |
| 2007 | 128,96 | 126,50 | 131,43 |
| 2008 | 161,27 | 158,62 | 163,92 |
| 2009 | 160,53 | 157,77 | 163,29 |
| 2010 | 159,00 | 156,37 | 161,63 |
| 2011 | 162,87 | 160,09 | 165,66 |
| Grupo de edad | | | |
| 0-14 | - | - | - |
| 15-34 | 6,97 | 6,66 | 7,28 |
| 35-39 | 39,76 | 38,40 | 41,12 |
| 40-44 | 91,41 | 89,36 | 93,47 |
| 45-49 | 174,58 | 171,63 | 177,54 |
| 50-54 | 270,82 | 266,88 | 274,76 |
| 55-59 | 362,76 | 358,09 | 367,43 |
| 60-64 | 436,91 | 431,64 | 442,19 |
| 65-69 | 436,42 | 431,34 | 441,49 |
| 70-74 | 381,62 | 377,14 | 386,10 |
| 75-79 | 317,46 | 313,18 | 321,73 |
| 80-84 | 279,59 | 274,92 | 284,27 |
| 85+ | 133,96 | 130,49 | 137,44 |

DIABETES MELLITUS TIPO 1, TODAS LAS EDAES

| | Tasa de incidencia | Límite inferior | Límite superior |
|--------------|---------------------------|------------------------|------------------------|
| Total | 30,04 | 29,46 | 30,61 |
| Sexo | | | |
| Hombres | 37,81 | 36,91 | 38,70 |
| Mujeres | 21,96 | 21,26 | 22,66 |
| Año | | | |
| 2000 | 29,34 | 27,52 | 31,16 |
| 2001 | 41,83 | 39,64 | 44,02 |
| 2002 | 73,68 | 70,53 | 76,83 |
| 2003 | 29,70 | 27,76 | 31,64 |
| 2004 | 28,53 | 26,55 | 30,51 |
| 2005 | 22,26 | 20,61 | 23,91 |
| 2006 | 36,41 | 34,26 | 38,56 |
| 2007 | 20,75 | 19,09 | 22,41 |
| 2008 | 35,42 | 33,23 | 37,62 |
| 2009 | 10,63 | 9,42 | 11,83 |
| 2010 | 7,08 | 6,10 | 8,07 |
| 2011 | 21,52 | 19,64 | 23,41 |