

IX. Bibliografía

- 1 Álvarez J, Álvarez Y, Ambel A, Barrantes G, et al. Detección Precoz de Sorderas. Junta de Extremadura. Mérida 1999
- 2 Healthy People 2000. UA Department of Health and Human Services, Public health service. WHO. US Government Printing Office. Washington DC, 1990.
- 3 Wilson JG, Jungner G. Principles and practise of screening for disease. WHO, Geneva. 1968.
- 4 Manrique M, Morera C, Moro M. Grupo Multicéntrico de detección precoz de la hipoacusia infantil. Detección precoz de la hipoacusia en recién nacidos de alto riesgo. Estudio Multicéntrico. An Esp Pediatr 1994;40 supl 59:11-45.
- 5 Moro M Almenar A. Detección e intervención precoz de la hipoacusia en la infancia. ¿Es el momento del cambio? (Editorial). An Esp Pediatr 1999;51:329-332.
- 6 Irisarri MN, Martínez V, Alemán S, Moreno S, et al. Epidemiología de la hipoacusia neurosensorial en la Comunidad Foral de Navarra. Boletín Epidemiológico de Navarra. 1998.
- 7 Diez-Delgado J, Espín F, Lendínez F, Ortega MA, et al. Cribado auditivo neonatal mediante otoemisiones acústicas por clic: logística y económicamente factible. An Esp Pediatr 2002;57(2):157-162.
- 8 Cubells JM, Gairí JM. Cribado neonatal de la sordera mediante otoemisiones acústicas evocadas. An Esp Pediatr 2000;53(6):586-591.

- 9 Almenar A, Tapia MC, Fernández C, Moro M. Protocolo combinado de cribado auditivo neonatal. *An Esp Pediatr* 2002;57(1):55-59.
- 10 Barsky-Firkser L, Sun S. Foundations of universal newborn screenings: A three-year experience. *Pediatrics* 1997;99(6).
- 11 Brancia-Maxon A, White KR, Behrens TR, Vohr B. Referral rates and cost efficiency in a universal newborn hearing screening program using transient evoked otoacoustic emissions. *J Am Acad Audiol* 1995;6:271-7.
- 12 Finintzio T, Albright K, O'Neal J. The newborn hearing loss: detection in the nursery. *Pediatrics* 1998;102(6):1452-1460. ABRA-OEA
- 13 Kanne TJ, Schaefer L, Perkins JA. Potencial pitfalls of initiating a new-born hearing screening program. *Arch Otolaryngol Head Neck Surg* 1999;125:28-32.
- 14 Kennedy CR, Kimm L, Dees DC, et al. Otoacoustic emissions and auditory brainstem response in newborns. *Arch Dis Child* 1991;66:124-9.OEA
- 15 Mason JA, Herrmann KR. Universal infant hearing screening by automated auditory brainstem response measurement. *Pediatrics* 1998; 101 (2):221-8.
- 16 Mehl A, Thomson V. Newborn hearing screening: The great omission. *Pediatrics* 1998;101(1).
- 17 Stein Lk. Factors influencing the efficacy of universal newborn hearing screening. *Pediatr Clin North Am* 1999; 46(1):95-105.
- 18 Watkin PM. Neonatal otoacoustic emission screening and the identification of deafness. *Arch Dis Child* 1996;74:F16-F25.
- 19 Vohr BR, Carty LM, Moore PE, Letourneau K. The Rode Island Hearing Assessment Program: experience with statewide hearing screening (1993-1996). *J Pediatr* 1998;133(3):353-7.
- 20 Morales Angulo C, González de Aledo Linos A, Bonilla Miera C, Mazón Gutiérrez A, Santiuste Aja FJ et al. Programa de detección precoz de hipoacusia infantil en Cantabria. Resultados del primer año de actividad. *Acta Otorrinolaringol Esp.* 2003;54(7):475-82.
- 21 Martín G, Benito JI, Condado MA, Morais D, et al. Diagnóstico precoz de la hipoacusia infantil: protocolo de detección en neonatos de riesgo. *Acta Otorrinolaringol Esp* 2000; 51(1):31-35.
- 22 Martínez R, Benito JI, Condado MA, Morais D, Fernández-Calvo JL. Resultados de la aplicación del protocolo de detección precoz de la hipoacusia en neonatos de alto riesgo. *Anales ORL Iber-Amer.* 2003;3:277-287.

- 23 Martínez R, Benito JI, Condado MA, Morais D, JL Fernández Calvo. Resultados de aplicar durante 1 año un protocolo universal de detección precoz de la hipoacusia en neonatos. *Acta Otorrinolaringol Esp* 2003;54:309-315
- 24 Algarra Jm, Pitarch MI, Morant A. Early Diagnosis of neonatal hearing loss. *Acta Otorrinolaringol Esp* 1996;47(3):255-7.
- 25 White KR, Mason AB. Implementing Universal Newborn Hearing Screening Programs. National Centre for Hearing Assessment and Management. En: <http://www.infanthearing.org/screening>.
- 26 Downs M. The case for detection and intervention at birth. *Semin Hear* 1994;15(2):76-83.
- 27 Hayes D. State programs for universal newborn hearing screening. *Pediatr Clin North Am* 1999; 96(10):1166-8.
- 28 Joint Committee on Infant Hearing 1994 position statement. *Otolaryngol Head Neck Surg* 1995; 113:191-6.
- 29 Musselman C, Wilson A, Lindsay P. Effects of early intervention on hearing impaired children. *Exceptional Children* 1988; 55(3):222-8.
- 30 NIH Consensus Statement. Early identification of hearing impairment in infants and young children 1993; Mar 1-3, 11(1):1-24.
- 31 Robinshaw HM. Early intervention for hearing impairment: Differences in the timing of communication and linguistic development. *Br J Audiol* 1995;29:315-34.
- 32 Yoshinaga-Itano C, Apuzzo MI. Identification of hearing loss after age 18 months is not early enough. *Am Ann Deaf* 1998;143(5):380-7.
- 33 Trinidad G, Pando J, Vega A, Serrano M, et al. Detección Precoz de hipoacusia en recién nacidos mediante otoemisiones acústicas evocadas transitorias. *An Esp Pediatr*. 1999; 50(2):166-71
- 34 Kennedy C, Kimm L, Thornton R, Davis A. False positives in universal neonatal screening for permanent childhood hearing impairment. *Lancet* 2000;356:1903-1904.
- 35 Davis A, Bamford J, Wilson I, Ramkalawan T, et al. A critical review of the role of neonatal hearing screening in the detection of congenital hearing impairment. *Health Technol Assessment* 1997;1(10).
- 36 Joint Committee on Infant Hearing. Position Statement. ASHA Washington, DC. American Speech-Language Association 1972.

- 37 Yoshinaga-Itano C, Sedey AL, Coulter DK, Mehl AL. Language of early-and-later identified children with hearing loss. *Pediatrics* 1998;102(5):1161-71.
- 38 Morant Ventura A, Pitarch Ribes M^a Y, García Callejo F. J, Marco Algarra J. Retraso en el diagnóstico de hipoacusia en niños. Justificación para instaurar modelos de cribaje. *An Esp Pediatr.* 1999; 51; 49-52.
- 39 Coplan J. Deafness: Ever Heard of It? Delayed Recognition of Permanent Hearing Loss. *Pediatrics.* 1987;79 (nº 2):206-213.
- 40 First LR, Palfrey JS. The infant or young child with developmental delay. *The New England Journal of Medicine* 1994;330 (7):478-483.
- 41 Shonkoff JP, Hauser-Cram P. Early Intervention for Disabled Infants and Their Families: A Quatitative Analysis. *Pediatrics* 1987;80 (5):650-658.
- 42 Bennett FC, Guralnick MJ. Efectiveness of developmental intervention in the first five year of life. *Pediatr Clin North Am.* 1991;38(6):1513-1528.
- 43 Löhle E, Holm M, Lehnhardt E. Preconditions of language development in deaf children. *Int. J. Pediatr. Otorhinolaryngol.* 1999; (47):171-175.
- 44 Downs MP, Yoshinaga-Itano C. The efficacy of early identification and intervention for children with impairment. *Pediatr Clin North Am* 1999;46(1):79-87.
- 45 Moeller MP. Early intervention and language development in children who are deaf and hard of hearing. *Pediatrics [artículo electrónico]* 2000 [acceso: 5 de febrero 2004];106(3):e43.
- 46 Morlet T, Ferber-Viart C, Putet G, Sevin F, Duclaux R. Auditory screening in Hig-risk pre-term and full-term neonates using transiet evoked oto-acoustic emissions and brainstem auditory evoked potentials. *Int J Pediatr Otorhinolaryngol* 1998;45(1):31-40.
- 47 Ribera T, Cobeta I. Screening auditivo en niños con factores de riesgo de hipoacusia en el área 3 de Madrid. *Acta Otorrinolaringol Esp* 2001;52:447-452.
- 48 Watson DR, McClelland RJ, Adams DA. Auditory brainstem response screening for hearing loss in high risk neonates. *Int J Pediatr Otorhinolaryngol* 1996;26(2):147-83.
- 49 Meyer Ch, Witte J, Hildmann A et al.: Neonatal Screening for Hearing Disorders in Infants at Risk: Incidence, Risk Factors, and Follow-up. *Paediatrics* 1999;104:900-904.

- 50 American Academy of Pediatrics. Task Force on Newborn and Infant Hearing. Newborn and infant hearing loss: detection and intervention. *Pediatrics* 1999;103:527-30.
- 51 Elssmann SF, Matkin ND, Sabo MP. Early identification of congenital sensorineural hearing impairment. *Hear J* 1987;40:13-17.
- 52 Watkin PM, Baldwin M, McEnery G. Neonatal at risk screening and the identification of deafness. *Arch Dis Child*. 1991; 66:1130-1135
- 53 Kittrell AP, Arjmand EM. The age of diagnosis of sensorineural hearing impairment in children. *Int J Pediatr Otorhinolaringol*.1997; 40:97 -106
- 54 Davis A, Wood S. The epidemiology of childhood hearing impairment: factors relevant to planning of services. *Br J Audiol*. 1992;26:77-90
- 55 European Consensus Statement on Neonatal Hearing Screening. Milán, May 1998.
- 56 Comisión para la detección precoz de hipoacusia infantil (CODEPEH). Propuesta para la detección e intervención precoz de la hipoacusia infantil. *An Esp Pediatr* 1999; 51:336-44.
- 57 Programa de promoción de la salud y prevención de las enfermedades en atención primaria. En: <http://www.semfyc.es>
- 58 Cabra J, Moñux A, Grijalba M, Echarri, et al. Implantación de un Programa para la Detección Precoz de Hipoacusia neonatal. *Acta Otorrinolaringol Esp* 2001;52:668-73.
- 59 González de Aledo A, Morales C, Santiuste FJ, Mongil I, et al . Programa de detección Precoz de la hipoacusia infantil en Cantabria. *Bol Pediatr* 2001;41:54-61.
- 60 Agencia de Evaluación de Tecnologías Sanitarias de Galicia. Efectividad del screening auditivo neonatal universal frente al screening auditivo neonatal de alto riesgo. Ministerio de Sanidad y Consumo, 1999.
- 61 Torrico P, Trinidad G, Cáceres de MC, Lozano S, et al. Detección precoz de hipoacusias en recién nacidos mediante otoemisiones acústicas por Echocheck. *An Esp Pediatr* 2001;54(3):283-289.
- 62 Erenberg A, Lemons J, Sia C, Trunkel D, Ziring P. Americam Academy of Pediatrics. Task Force on Newborn and Infant Hearing. *Pediatrics* 1999;103(2):527-530.

- 63 Norton SJ, Gorga MP, Widen JE, Folson RC, Sininger Y, Cone-Wesson B, et al. Identification of neonatal hearing impairment: evaluation of transient evoked otoacoustic emission, distortion product otoacoustic emission, and auditory brain stem response test performance. *Ear Hear.* 2002;23(5):508-528.
- 64 Mehl AL, Thomson V. The Colorado Newborn Hearing Screening Project, 1992-1999: On the Threshold of effective population-based universal newborn hearing screening. *Pediatrics* [artículo electrónico]. 2002 [acceso 2 febrero de 2004];109(1):e7.
Disponible en: <http://www.pediatrics.org/cgi/bin/content/full/109/1/e7>
- 65 Cone-Wesson B, Vohr BR, Sininger YS, Widen JE, Folsom RC, Gorga MP et al. Identification of neonatal hearing impairment: infants with hearing loss. *Ear Hear.* 2002;23(5):488-507.
- 66 Morera Pérez C y cols. Detección precoz de hipoacusias en recién nacidos y lactantes de la Comunidad Valenciana. Ed. Generalitat Valenciana, 1999.
- 67 CODEPEH. Ministerio de Sanidad y Consumo. Libro Blanco sobre la Hipoacusia. Detección precoz de la hipoacusia en recién nacidos. Madrid: Ministerio de Sanidad y Consumo; 2003.
- 68 Wessex Universal Neonatal Hearing Screening Trial Group. Controlled trial of Universal neonatal screening for early identification of permanent childhood hearing impairment. *Lancet* 1998;352:1957*1964.
- 69 Watkin PM. Neonatal otoacoustic emission screening and the identification of deafness. *Arch Dis Chi* 1996;74:F1-25.
- 70 Maxon AB, White KR, Vohr BR, Beehrens TER. Using transient evoked otoacoustic emissions for neonatal hearing screening. *B J Audiol* 1993;27:149-153.
- 71 Stewart DL, Davis-Hunter MF, Kimm L, Cafarelli D, Kennedy CR, Thornton ARD. Feasibility of otoacoustic emission detection followed by ABR as universal neonatal screening test for hearing impairment. *Br J Audiol* 1994;28:47-51.
- 72 Stewar DL, Mehl A, Hall JW, Thomson V. Universal newborn hearing screening with automated auditory brainstem response: a multisided investigation. *J Perinatol* 2000;20(8):S128-31.

- 73 Herrmann BS, Thornton AR, Joseph JM. Automated infant hearing screening using the ABR: development and validation. [artículo electrónico]. American Journal of Audiology.1995 [acceso 2 febrero de 2004];4:6-14. Disponible en: <http://www.asha.org/about/publications/journal-abstracts/ajaa/AJATOC1995Jul.htm>
- 74 Van Straaten HL, Hille ET, KoK JH, Verkerk PH,Dutch NICU Neonatal Screening Working Group. Acta Paediatr.2003;92(3):332-338
- 75 Clemens CJ, Sherri AD. Minimizing false-positives in Universal newborn hearing screening: a simple solution. Pediatrics [artículo electrónico]2001 [acceso 2 febrero de 2004];107(3):e29. Disponible en: <http://www.pediatrics.org/cgi/content/full/107/3/e29>
- 76 Clemens CJ, Davis SA, Bailey AR. The false-positive in Universal newborn hearing screening. Pediatrics [artículo electrónico]2001 [acceso 2 febrero de 2004];106(1):e7. Disponible en: <http://www.pediatrics.org/cgi/content/full/106/1/e7>
- 77 Jacobson Jt, Jacobson CA, Spahr RC. Automated and conventional ABR screening techniques in high-risk infants. Am J Audiol 1990;1:187-195.
- 78 Hunter MF, Kimm L, Cafarelli D, Kennedy CR, et al. Feasibility of otoacoustic emission detection followed by ABR as a universal neonatal screening test for hearing impairment. BR J Audiol 1994;28:47-51.
- 79 Iley KL, Addis RJ. Impact of technology choice on service provision for universal newborn hearing screening within a busy district hospital. J Perinatol 2000;20(8):S122-7.
- 80 Lemon J, Fanaroff a, Stewart Ej, Bentkover JD, et al. J Perinatol 2002;22(2):120-4.
- 81 Joint Committee on Infant Hearing. Year 2000 Position Statement: Principles and Guidelines for Early Hearing Detection and Intervention Programs. Pediatrics 2000;106(4):798-817.
- 82 Abbott Gabbard S, Northen JL, Yoshinana-Itano C. Screening in Newborns Under 24 hours of age. Seminar in hearing. 1999;20(4):291-305.
- 83 Dort JC, Tobolski C, Brown D. Screening strategies for neonatal hearing loss: which test is best?. J Otolaryngol 2000;29(4):206-210.
- 84 Sininger YS, Cone-Wesson B, Folsom RC, Gorga MP, Vohr BR, Widen JE, Et al. Identification of neonatal hearing impairment:auditory brain stem responses in the perinatal period. Ear Hear 2000;21(5):383-399.

- 85 Boshuizen HC, Van der Lem GJ, Kauffmann-de Boer MA, Van Zanten GA, Oudesluys-Murphy AM, Verkerk PH. Cost of different strategies for neonatal hearing screening: a modelling approach. Arch Dis Child Fetal Neonatal Ed 2001;85:F177-F181.